

OFFICIAL BALLOT

Judge

Judge

STATE GENERAL ELECTION BALLOT
DAKOTA COUNTY, MINNESOTA
NOVEMBER 4, 2008

INSTRUCTIONS TO VOTERS

To vote, completely fill in the oval(s) next to your choice(s) like this: ☒

FEDERAL OFFICES

PRESIDENT AND VICE-PRESIDENT
VOTE FOR ONE TEAM

☒ JOHN MCCAIN AND
SARAH PALIN
Republican

☐ BARACK OBAMA AND
JOE BIDEN
Democratic-Farmer-Labor

☐ CYNTHIA MCKINNEY AND
ROSA CLEMENTE
Libertarian

☐ ROGER CALERO AND
ALYSON KENNEDY
Socialist Workers

☐ RALPH NADER AND
MATT GONZALEZ
Independent

☐ BOB BARR AND
WAYNE A. ROOT
Libertarian

☐ CHUCK BALDWIN AND
DARRELL CASTLE
Constitution

☐ write-in, if any

UNITED STATES SENATOR
VOTE FOR ONE

☐ DEAN BARKLEY
Independence

☒ NORM COLEMAN
Republican

☐ AL FRANKEN
Democratic-Farmer-Labor

☐ CHARLES ALDRICH
Libertarian

☐ JAMES NIEMACKI
Constitution

☐ write-in, if any

UNITED STATES REPRESENTATIVE
DISTRICT 2
VOTE FOR ONE

☒ JOHN KLINE
Republican

☐ STEVE SARVI
Democratic-Farmer-Labor

☐ write-in, if any

STATE OFFICES

STATE REPRESENTATIVE
DISTRICT 38A
VOTE FOR ONE

☒ DIANE ANDERSON
Republican

☐ SANDRA A. MASIN
Democratic-Farmer-Labor

☐ write-in, if any

CONSTITUTIONAL
AMENDMENT

Failure to vote on a constitutional amendment, will have the same effect as voting no for the amendment.

To vote for a proposed constitutional amendment, completely fill in the oval next to the word "YES" for that question. To vote against a proposed constitutional amendment, completely fill in the oval next to the word "NO" for that question.

CLEAN WATER, WILDLIFE, CULTURAL
HERITAGE, AND NATURAL AREAS

Shall the Minnesota Constitution be amended to dedicate funding to protect our drinking water sources; to protect, enhance, and restore our wetlands, prairies, forests, and fish, game, and wildlife habitat; to preserve our arts and cultural heritage; to support our parks and trails; and to protect, enhance, and restore our lakes, rivers, streams, and groundwater by increasing the sales and use tax rate beginning July 1, 2009, by three-eighths of one percent on taxable sales until the year 2034?

☐ YES

☒ NO

COUNTY OFFICES

COUNTY COMMISSIONER
DISTRICT 3
VOTE FOR ONE

☐ THOMAS EGAN

☐ SCOTT A. HOLM

☐ write-in, if any

SOIL AND WATER CONSERVATION
DISTRICT SUPERVISOR
DISTRICT 2
VOTE FOR ONE

☐ SCOTT NORSTAD

☐ MARIAN BROWN

☐ VICTORIA A. DVORAK

☐ write-in, if any

SOIL AND WATER CONSERVATION
DISTRICT SUPERVISOR
DISTRICT 4
VOTE FOR ONE

☐ CHRIS NIELSEN

☐ PETER THOMAS SCHAFFER

☐ write-in, if any

SOIL AND WATER CONSERVATION
DISTRICT SUPERVISOR
DISTRICT 5
VOTE FOR ONE

☐ JOE MEYERS

☐ MICHAEL T. CARR

☐ write-in, if any

CITY OFFICES
CITY OF EAGAN

COUNCIL MEMBER
VOTE FOR UP TO TWO

☐ MEG TILLEY

☐ CYNDEE FIELDS

☐ write-in, if any

☐ write-in, if any

SPECIAL ELECTION FOR
COUNCIL MEMBER
To fill vacancy in term expiring
January 2, 2011
VOTE FOR ONE

☐ GARY HANSEN

☐ BUZZ ANDERSON

☐ write-in, if any

CITY QUESTION

To vote for a question, fill in the oval next to the word "YES" for that question. To vote against a question, fill in the oval next to the word "NO" for that question.

BONDS FOR LAND ACQUISITION

Shall the City of Eagan be authorized to issue and sell its general obligation bonds in a principal amount not to exceed \$10,250,000 for the purpose of acquiring approximately 120 acres of land formerly known as Carriage Hills Golf Course for public facilities, recreation, and open space uses?

☐ YES

☒ NO

BY VOTING "YES" ON THIS
BALLOT QUESTION, YOU ARE
VOTING FOR A PROPERTY TAX
INCREASE.

Chal by
Franken

VOTE FRONT AND BACK OF BALLOT

STATE GENERAL ELECTION BALLOT DAKOTA COUNTY, MINNESOTA NOVEMBER 4, 2008		
INSTRUCTIONS TO VOTERS To vote, completely fill in the oval(s) next to your choice(s) in the space provided.		
SCHOOL DISTRICT OFFICES INDEPENDENT SCHOOL DISTRICT NO. 191 (BURNSVILLE-EAGAN-SAVAGE)	JUDICIAL OFFICES SUPREME COURT ASSOCIATE JUSTICE 3 VOTE FOR ONE TIM TINGLI, Incumbent PAUL H. ANDERSON, Incumbent DEBORAH HEDLUND, Incumbent LORIE SKJRVEN GILDEA, Incumbent	JUDICIAL OFFICES 1ST DISTRICT COURT JUDGE 32 VOTE FOR ONE ROBERT E. CARTER, Incumbent NATHANIEL J. REITZ, Incumbent JUDGE 1 VOTE FOR ONE CAROL HOOTEN, Incumbent JUDGE 5 VOTE FOR ONE KEITH W. EIDE, Incumbent JUDGE 13 VOTE FOR ONE ROBERT W. KING, JR., Incumbent JUDGE 15 VOTE FOR ONE EDWARD L. LYNCH, Incumbent JUDGE 16 VOTE FOR ONE SHAWN MOYNIHAN, Incumbent JUDGE 17 VOTE FOR ONE THOMAS L. MCCARTHY, Incumbent JUDGE 21 VOTE FOR ONE JEFFREY D. PERKINS, Incumbent JUDGE 22 VOTE FOR ONE MICHAEL J. SOVIS, Incumbent JUDGE 27 VOTE FOR ONE JAMES J. REY, Incumbent JUDGE 28 VOTE FOR ONE JAMES J. PHAUG, Incumbent JUDGE 30 VOTE FOR ONE JAMES J. BIBUS, Incumbent JUDGE 31 VOTE FOR ONE JAMES J. HISEN, Incumbent
SCHOOL BOARD MEMBER VOTE FOR UP TO THREE RON HILL SANDRA M. SWEEP DEEDEE CURRIER ALAN TSCHIDA ANDIE EKES PETER BECKEL Write-in, if any: _____ Write-in, if any: _____ Write-in, if any: _____	ASSOCIATE JUSTICE 4 VOTE FOR ONE DEBORAH HEDLUND, Incumbent LORIE SKJRVEN GILDEA, Incumbent COURT OF APPEALS JUDGE 16 VOTE FOR ONE TERRI J. STONEBURNER, Incumbent DAN GRIFFITH, Incumbent JUDGE 1 VOTE FOR ONE EDWARD L. LYNCH, JR., Incumbent JUDGE 8 VOTE FOR ONE THOMAS J. KALITOWSKI, Incumbent JUDGE 9 VOTE FOR ONE ROGER M. ELAPHAKE, Incumbent JUDGE 10 VOTE FOR ONE HARRIET L. LINSING, Incumbent JUDGE 15 VOTE FOR ONE KEVIN G. RYAN, Incumbent	

Eagan P. 5
 Not Coleman
 Don't wish to vote

VOTE FRONT AND BACK OF BALLOT

HAC 8.0 and 50.0 ppm; 4.10 to 4.40 ppm; 4.50 to 4.80 ppm; 4.90 to 5.20 ppm; 5.30 to 5.60 ppm; 5.70 to 6.00 ppm; 6.10 to 6.40 ppm; 6.50 to 6.80 ppm; 6.90 to 7.20 ppm; 7.30 to 7.60 ppm; 7.70 to 8.00 ppm; 8.10 to 8.40 ppm; 8.50 to 8.80 ppm; 8.90 to 9.20 ppm; 9.30 to 9.60 ppm; 9.70 to 10.00 ppm; 10.10 to 10.40 ppm; 10.50 to 10.80 ppm; 10.90 to 11.20 ppm; 11.30 to 11.60 ppm; 11.70 to 12.00 ppm; 12.10 to 12.40 ppm; 12.50 to 12.80 ppm; 12.90 to 13.20 ppm; 13.30 to 13.60 ppm; 13.70 to 14.00 ppm; 14.10 to 14.40 ppm; 14.50 to 14.80 ppm; 14.90 to 15.20 ppm; 15.30 to 15.60 ppm; 15.70 to 16.00 ppm; 16.10 to 16.40 ppm; 16.50 to 16.80 ppm; 16.90 to 17.20 ppm; 17.30 to 17.60 ppm; 17.70 to 18.00 ppm; 18.10 to 18.40 ppm; 18.50 to 18.80 ppm; 18.90 to 19.20 ppm; 19.30 to 19.60 ppm; 19.70 to 20.00 ppm; 20.10 to 20.40 ppm; 20.50 to 20.80 ppm; 20.90 to 21.20 ppm; 21.30 to 21.60 ppm; 21.70 to 22.00 ppm; 22.10 to 22.40 ppm; 22.50 to 22.80 ppm; 22.90 to 23.20 ppm; 23.30 to 23.60 ppm; 23.70 to 24.00 ppm; 24.10 to 24.40 ppm; 24.50 to 24.80 ppm; 24.90 to 25.20 ppm; 25.30 to 25.60 ppm; 25.70 to 26.00 ppm; 26.10 to 26.40 ppm; 26.50 to 26.80 ppm; 26.90 to 27.20 ppm; 27.30 to 27.60 ppm; 27.70 to 28.00 ppm; 28.10 to 28.40 ppm; 28.50 to 28.80 ppm; 28.90 to 29.20 ppm; 29.30 to 29.60 ppm; 29.70 to 30.00 ppm; 30.10 to 30.40 ppm; 30.50 to 30.80 ppm; 30.90 to 31.20 ppm; 31.30 to 31.60 ppm; 31.70 to 32.00 ppm; 32.10 to 32.40 ppm; 32.50 to 32.80 ppm; 32.90 to 33.20 ppm; 33.30 to 33.60 ppm; 33.70 to 34.00 ppm; 34.10 to 34.40 ppm; 34.50 to 34.80 ppm; 34.90 to 35.20 ppm; 35.30 to 35.60 ppm; 35.70 to 36.00 ppm; 36.10 to 36.40 ppm; 36.50 to 36.80 ppm; 36.90 to 37.20 ppm; 37.30 to 37.60 ppm; 37.70 to 38.00 ppm; 38.10 to 38.40 ppm; 38.50 to 38.80 ppm; 38.90 to 39.20 ppm; 39.30 to 39.60 ppm; 39.70 to 40.00 ppm; 40.10 to 40.40 ppm; 40.50 to 40.80 ppm; 40.90 to 41.20 ppm; 41.30 to 41.60 ppm; 41.70 to 42.00 ppm; 42.10 to 42.40 ppm; 42.50 to 42.80 ppm; 42.90 to 43.20 ppm; 43.30 to 43.60 ppm; 43.70 to 44.00 ppm; 44.10 to 44.40 ppm; 44.50 to 44.80 ppm; 44.90 to 45.20 ppm; 45.30 to 45.60 ppm; 45.70 to 46.00 ppm; 46.10 to 46.40 ppm; 46.50 to 46.80 ppm; 46.90 to 47.20 ppm; 47.30 to 47.60 ppm; 47.70 to 48.00 ppm; 48.10 to 48.40 ppm; 48.50 to 48.80 ppm; 48.90 to 49.20 ppm; 49.30 to 49.60 ppm; 49.70 to 50.00 ppm; 50.10 to 50.40 ppm; 50.50 to 50.80 ppm; 50.90 to 51.20 ppm; 51.30 to 51.60 ppm; 51.70 to 52.00 ppm; 52.10 to 52.40 ppm; 52.50 to 52.80 ppm; 52.90 to 53.20 ppm; 53.30 to 53.60 ppm; 53.70 to 54.00 ppm; 54.10 to 54.40 ppm; 54.50 to 54.80 ppm; 54.90 to 55.20 ppm; 55.30 to 55.60 ppm; 55.70 to 56.00 ppm; 56.10 to 56.40 ppm; 56.50 to 56.80 ppm; 56.90 to 57.20 ppm; 57.30 to 57.60 ppm; 57.70 to 58.00 ppm; 58.10 to 58.40 ppm; 58.50 to 58.80 ppm; 58.90 to 59.20 ppm; 59.30 to 59.60 ppm; 59.70 to 60.00 ppm; 60.10 to 60.40 ppm; 60.50 to 60.80 ppm; 60.90 to 61.20 ppm; 61.30 to 61.60 ppm; 61.70 to 62.00 ppm; 62.10 to 62.40 ppm; 62.50 to 62.80 ppm; 62.90 to 63.20 ppm; 63.30 to 63.60 ppm; 63.70 to 64.00 ppm; 64.10 to 64.40 ppm; 64.50 to 64.80 ppm; 64.90 to 65.20 ppm; 65.30 to 65.60 ppm; 65.70 to 66.00 ppm; 66.10 to 66.40 ppm; 66.50 to 66.80 ppm; 66.90 to 67.20 ppm; 67.30 to 67.60 ppm; 67.70 to 68.00 ppm; 68.10 to 68.40 ppm; 68.50 to 68.80 ppm; 68.90 to 69.20 ppm; 69.30 to 69.60 ppm; 69.70 to 70.00 ppm; 70.10 to 70.40 ppm; 70.50 to 70.80 ppm; 70.90 to 71.20 ppm; 71.30 to 71.60 ppm; 71.70 to 72.00 ppm; 72.10 to 72.40 ppm; 72.50 to 72.80 ppm; 72.90 to 73.20 ppm; 73.30 to 73.60 ppm; 73.70 to 74.00 ppm; 74.10 to 74.40 ppm; 74.50 to 74.80 ppm; 74.90 to 75.20 ppm; 75.30 to 75.60 ppm; 75.70 to 76.00 ppm; 76.10 to 76.40 ppm; 76.50 to 76.80 ppm; 76.90 to 77.20 ppm; 77.30 to 77.60 ppm; 77.70 to 78.00 ppm; 78.10 to 78.40 ppm; 78.50 to 78.80 ppm; 78.90 to 79.20 ppm; 79.30 to 79.60 ppm; 79.70 to 80.00 ppm; 80.10 to 80.40 ppm; 80.50 to 80.80 ppm; 80.90 to 81.20 ppm; 81.30 to 81.60 ppm; 81.70 to 82.00 ppm; 82.10 to 82.40 ppm; 82.50 to 82.80 ppm; 82.90 to 83.20 ppm; 83.30 to 83.60 ppm; 83.70 to 84.00 ppm; 84.10 to 84.40 ppm; 84.50 to 84.80 ppm; 84.90 to 85.20 ppm; 85.30 to 85.60 ppm; 85.70 to 86.00 ppm; 86.10 to 86.40 ppm; 86.50 to 86.80 ppm; 86.90 to 87.20 ppm; 87.30 to 87.60 ppm; 87.70 to 88.00 ppm; 88.10 to 88.40 ppm; 88.50 to 88.80 ppm; 88.90 to 89.20 ppm; 89.30 to 89.60 ppm; 89.70 to 90.00 ppm; 90.10 to 90.40 ppm; 90.50 to 90.80 ppm; 90.90 to 91.20 ppm; 91.30 to 91.60 ppm; 91.70 to 92.00 ppm; 92.10 to 92.40 ppm; 92.50 to 92.80 ppm; 92.90 to 93.20 ppm; 93.30 to 93.60 ppm; 93.70 to 94.00 ppm; 94.10 to 94.40 ppm; 94.50 to 94.80 ppm; 94.90 to 95.20 ppm; 95.30 to 95.60 ppm; 95.70 to 96.00 ppm; 96.10 to 96.40 ppm; 96.50 to 96.80 ppm; 96.90 to 97.20 ppm; 97.30 to 97.60 ppm; 97.70 to 98.00 ppm; 98.10 to 98.40 ppm; 98.50 to 98.80 ppm; 98.90 to 99.20 ppm; 99.30 to 99.60 ppm; 99.70 to 100.00 ppm; 100.10 to 100.40 ppm; 100.50 to 100.80 ppm; 100.90 to 101.20 ppm; 101.30 to 101.60 ppm; 101.70 to 102.00 ppm; 102.10 to 102.40 ppm; 102.50 to 102.80 ppm; 102.90 to 103.20 ppm; 103.30 to 103.60 ppm; 103.70 to 104.00 ppm; 104.10 to 104.40 ppm; 104.50 to 104.80 ppm; 104.90 to 105.20 ppm; 105.30 to 105.60 ppm; 105.70 to 106.00 ppm; 106.10 to 106.40 ppm; 106.50 to 106.80 ppm; 106.90 to 107.20 ppm; 107.30 to 107.60 ppm; 107.70 to 108.00 ppm; 108.10 to 108.40 ppm; 108.50 to 108.80 ppm; 108.90 to 109.20 ppm; 109.30 to 109.60 ppm; 109.70 to 110.00 ppm; 110.10 to 110.40 ppm; 110.50 to 110.80 ppm; 110.90 to 111.20 ppm; 111.30 to 111.60 ppm; 111.70 to 112.00 ppm;